

Environmental Bulletin of Mikonos Airport (JMK)

Reference year 2019

Fraport Greece

May 2020

PAGE INTENTIONALLY LEFT BLANK



Version Control

Version	Revision	Description of Revision	Date
0	0		27/05/2020

PAGE INTENTIONALLY LEFT BLANK



Table of Contents

Versio	n Control	3
Table	of Contents	5
1.	INTRODUCTION	6
1.1.	Airport Basic Data	6
1.2.	Airport Facilities	
1.2.1.	Fuel Handlers	
1.2.2.	Ground Handlers	7
2.	TRAFFIC DATA STATISTICS	
2.1.	Annual Traffic Data	
2.2.	High season traffic data	
2.3.	Low season traffic data	
3.	AIRCRAFT NOISE	
3.1.	Noise measurements during the reference year	
3.2.	Noise levels calculation based on noise simulation software1	
4.	AIR QUALITY1	
4.1.	Air quality measurements during the reference year1	
4.2.	Air pollutants emission and dispersion modelling1	
5.	WASTE MANAGEMENT 1	4
6.	ECOSYSTEM AROUND THE AIRPORT1	5
6.1.	Flora-Fauna1	
6.2.	Ecologically fragile areas1	5
7.	WILDLIFE HAZARD MANAGEMENT1	5
8.	CULTURAL HERITAGE	6
9.	RESOURCES CONSUMPTION 1	6
9.1.	Energy consumption1	.6
9.2.	Fuel consumption1	
9.3.	'Heating oil or natural gas consumption1	
9.4.	Water consumption1	
10.	GREENHOUSE GAS EMMISIONS & CARBON FOOTPRINT 1	7
11.	HUMAN CONSUMPTION WATER MONITORING PROGRAM	8
12.	RAINWATER 1	8
13.	GROUNDWATER MONITORING PROGRAM1	9
14.	SEWAGE TREATMENT & DISPOSAL	9



1. INTRODUCTION

Location

The airport of Mykonos, with an IATA code JMK, has been operating since 1971 and is located at 1.2 km to the south-east from the Town of Mykonos and at a very short distance of approximately 1.5km from the coastline of the island.

Administration

The airport administratively belongs to the Municipal Community of Mykonos, of the Municipality of Mykonos of the homonym Regional Unit that belongs to the Region of South Aegean.

Environmental licensing

Approved Environmental Terms				
E.T. Decision Reference number	JMD 32650/04.11.1994			
	Ref. No. ок. 103324/18.04.2016			
E.T. Amendment Decision Reference	Ref. No. ок. 175511/15.10.2014			
number	Ref. No ок. 39773/26.09.2017			
	Ref. No ок. 2976/02.02.2018			

1.1. Airport Basic Data

Airport Basic Data					
Airport name IATA / ICAO		JMK / LGMK			
Airport position – Airport Reference Point (ARP)		Latitude: 37° 26' 14" N Longitude: 25° 20' 50" E			
Altitude:			123.45m		
Number of runways			1		
Operation hours (winter)	Mon	Monday-Thursday & Saturday 09:30 - 17:30 Friday/Sunday 09:30 - 19:00			
Operation hours (summer)		0:01-24:00			
Runways	L	Length / Width Code			
Runway	1	1,902m x 30m 16/34		/34	
Full length of parallel taxiway		N/A			
Number of taxiways		2			
	А	В	С	D	E
Apron capacity	-	-	5	-	-
Employees		High se	ason	Low s	eason
Fraport Greece (FG) employees		37 28		8	
Employees of other companies		515 243			
Terminal					
Total area (m ²) 9,000					
Other buildings and service/storage areas					
RFF (m ²) Temporarily housed in ISOBOX un completion of new RFF					



Parking Areas	
Car parking spaces	100
Bus parking spaces	12
Taxi parking spaces	10

1.2. Airport Facilities

1.2.1. Fuel Handlers

Number of fuel handler companies	
Number of fuel handler companies operating at the Airport	2

Installations inside the airport		EKO	GISCO	HAFCO
Environmental Management System (EMS)	(YES/NO)	YES	YES	Not operating at the airport

1.2.2. Ground Handlers

Ground Handlers				
Number of ground handler companies operating at	the airport			3
Installations inside the airport		SKYSERV	SWISSPORT	GOLDAIR
Vehicles (total number)		10	21	72
Environmental Management System (EMS) (1	YES/NO)	YES	YES	YES

2. TRAFFIC DATA STATISTICS

2.1. Annual Traffic Data

Annual Traffic Data for the year 2019		
Overall Annual Air Traffic Movements ¹		18,801
Percent of increase or decrease in relation to the previous year		8.8%
Annual passenger traffic		1,520,145
Percent of increase or decrease in relation to the previous year		8.9%
Annual cargo transferred (tn)		89
Percent of increase or decrease in relation to the previous year		-4.48%
Aircraft types		-
Prevailing aircraft types for domestic flights		
Aircraft type	No. of	flights
DH8D	1.4	508
A320	1.:	377
B712	1.:	203

¹ Military and training flights not included.



AT75	406
EC35	363
A32A	280
AT72	274
EC20	197
AS55	163
A109	126
Other	1,997
Prevailing aircraft types for international flights	
Aircraft type	No. of flights
A320	1,902
A32A	1,286
B73H	1,154
B712	703
A319	620
B738	474
C56X	472
E190	346
CL60	288
A20N	270
	3,392

2.2. High season traffic data

High season traffic data (June-September)	
Highest traffic month	July
Air traffic movements during the month with highest traffic	4,756
Air traffic movements daily average number during the month with highest traffic	153

2.3. Low season traffic data

Low season traffic data (October-May)	
Lowest traffic month	February
Air traffic movements during the month with lowest traffic	121
Air traffic movements daily average number during the month with lowest traffic	4




3. AIRCRAFT NOISE

3.1. Noise measurements during the reference year

Have noise measurements at the airport's sur reference year? [YES/NO]	rrounding area been performed during the YES				
Measurement points					
Measurement points coordinates 1) Position: 37° 26' 46" N	Measurement points description West of Mykonos city, north of the runway on a house roof.				
25° 20' 39" E	Affected by arrivals RWY 16 and departures RWY 34.				
2) Position: 37° 26' 06'' N 25° 20' 21" E	In the north west section of Mykonos city, west of the runway on a hotel roof. Affected by arrivals and departures to and from all directions				
3) Position: 37° 24' 58" N	Platis Gialos area, south of the runway in a hotel's yard.				
25° 21' 07" E	Affected by arrivals RWY 34 and departures RWY 16.				
Measurement period	05.08.2019 – 06.08.2019				
Noise indicators	Lden, Lnight				
Summary of measurement results:	Summary of measurement results:				
Noise levels are monitored according to the airport's No exceedance of noise indicators levels Lden = 70					



3.2. Noise levels calculation based on noise simulation software



levels higher than the limits Lden = 70 dB(A) and Lnight = 60 dB(A).



4. AIR QUALITY

4.1. Air quality measurements during the reference year

Have air quality measurements at the a reference year? [YES/NO]	airport's surrounding area been performed during the	YES		
	Measurement points			
	Trint of the first			
Measurement points coordinates	Measurement points description			
1) Position:°" N	At a distance of approximately 1.6km, to the north of the airpo	ort in the area		
°'" E 2) Position:°'" N °' E	of the Modern Education Private Schools. Airport parking area at a distance less than 500 meters.			
Measurement period	02.08.2019 – 09.08.2019.			
Pollutants measured: PM ₁₀ , PM _{2,5} , NO ₂ , SO ₂ , C ₆ H ₆ , O ₃				
Summary of measurement results:				
Air quality is monitored according to the air No exceedance of the air quality limits was	rport's monitoring program. s observed for PM10, PM2,5, NO2, SO2 & C6H6.			




4.2. Air pollutants emission and dispersion modelling


	of air pollutar [YES/NO]	nts concentration	ons base	ed on	an emiss	sion ar	nd disper	sion mod	lelling Y	ES
Software u	used: Aviation	Environmental		Tool	(AEDT)	- US	Federal	Aviation	Administration	& U
Environment	tal Protection A	gency AERMOD and respective	contour	e colo	ulation:					
PM ₁₀ , NO _X ,		and respective	contour	5 caic	ulation.					
PM10		-	OpenStreetMap		0 2.00 1.00 0.2	0.50		PLOT FILE OF PERIOD VALUES AVERAGED ACROSS 1 MONTH FOR SOURCE GROUP: ALL ug/m^3 Max: 9.47 [ug/m^3] at (353905.55, 414134.90)	9.47 8.00 4.00 2.00 1.00 0.50 0.25 0.13 0.07 356000	

Environmental Bulletin JMK - 2019









5. WASTE MANAGEMENT

Waste management						
Waste	Collection	Management/Disposal				
Recyclables (paper, plastic, metals, glass)	Separate collection by the Municipality of Mikonos	Disposal at material recovery facility for recycling				
Residues (Mixed Waste) and Bulky Waste	Collection by the Municipality of Mikonos	Disposal in landfill				

Σημειώσεις:

1. Regarding the different categories of the MSW (recyclables, mixed waste), Airport Users handle their waste autonomously. The implementation of a central system by Fraport Greece is expected.

2. Regarding the "alternative management' waste categories (Waste lubricant oil WLO, WEEE, etc.):

- i. Waste Lubricant Oil (WLO): Collection and management by authorized collector "CYTOP S.A."
 - ii. Waste Electrical & Electronic Equipment (WEEE): Collection and management by alternative management system "Appliances Recycling S.A."



Wa	Waste management						
	Waste	Collection	Management/Disposal				
3.	 iii. Accumulators: Collection and management by alternative management system "Re-Battery S.A." iv. Small batteries: Collection and management by alternative management system "AFIS S.A." v. Used tires: Collection and management by alternative management system "ECOELASTIKA S.A." 						

6. ECOSYSTEM AROUND THE AIRPORT

6.1. Flora-Fauna

ECOSYSTEM AROUND THE AIRPORT	
Flora	
Are there protected zones of vegetation/habitats in the broader airport area? [YES/NO]	NO
(If YES) Short description:	
Fauna	
Are there protected zones of fauna/birds in the broader airport area? [YES/NO]	NO
(If YES) Short description:	

6.2. Ecologically fragile areas

The airport of Mykonos is outside the limits of protected areas included in the National Network of Protected Areas, at long distances from them.

In Mykonos there are no areas included in the NATURA 2000 network. The Natura 2000 network area which is closest to the airport is the area called "Nisides Mykonou" (Rineia, Chtapodia, Tragonisi)" with code GR4220027 which is listed as SPA, based on Directive 2009/147/EC on birds.

The "Wildlife Sanctuary" which is nearest to the airport is "Marathi (of Mykonos)" (K463) (GG 687/B/1995), which is to the north of the airport at a distance of approximately 1.2Km.

7. WILDLIFE HAZARD MANAGEMENT

Wildlife hazard management			
Extent of the problem (animal species):	Strikes (%)		
Larus michahellis (Yellow-legged gull)	62%		
Columba livia (Pigeon)	15%		
Athene noctua (Little owl)	8%		
Hedgehog	8%		
Not identified*	8%		
Adopted measures :			



- Drainage ditches are periodically checked and if necessary cleaned, to ensure efficient water run-off and, thus, reducing the attractiveness of the airside to the wildlife
- Systematic grass cutting at the airside
- Fence maintenance
- Trapping of mammals (mainly stray cats and dogs) that may be found at the manoeuvring area by the use of trap and under the permit received by the ministry of Environment & Energy "Monitoring and trapping birds and mammals population at the 14 regional airports operated by Fraport Greece" (Permit: 165654/142, 12/2/2018)
- Systematic monitoring and census of bird species populations on and off-airport (in a distance of 13km from the airport) and mapping of their habitat and the areas that are attractive to birds
- Seminar awareness video on the identification and safe removal of reptiles and information about the snake species at Mikonos, under the collaboration with the Lalitsa Non-Profit Association
- Awareness video on the safe handling of stray dogs

Reference year summary results:

Hellenic Civil Aviation Authority receives annual reports referring to the risk assessment of the wildlife hazard as well as to the wildlife hazard management at the 12 regional airports operating by Fraport Greece. Aktion Airport and Chania Airport "Ioannis Daskalogiannis" are excluded, in accordance with the Concession Agreement, Annex 20, paragraph 6.3.3 & 6.3.4.

*"Not identified" refers to birdstrikes evidence (e.g. blood or part of feathers) that does not allow the bird species identification

8. CULTURAL HERITAGE

Have new cultural heritage properties been discovered during the reporting period? [YES/NO]					
(if YES) Details provided in the table below:					
Location	Date of discovery	Type of discovery	Additional protection measure taken		

9. **RESOURCES CONSUMPTION**

9.1. Energy consumption

Energy consumption (monthly electric energy consumption, in Kwh)			
MONTH Kwh			
Total annual electric energy consumption (in Kwh)	1,741,891		

9.2. Fuel consumption

Fuel consumption		
Number of FG vehicles at the airport10		
Number of firefighting vehicles at the airport	3	
Total annual fuel consumption	Diesel (It)	13,023
	Unleaded gasoline (It)	17,886



9.3. 'Heating oil or natural gas consumption

Heating oil or natural gas consumption	
Total annual heating oil consumption (It)	-*
Total annual heating natural gas consumption (m ³)	N/A

*Heating and cooling is achieved via heat pumps

9.4. Water consumption

Water consumption	
Period	Consumption [m ³]
Total annual consumption	10,404

10. GREENHOUSE GAS EMMISIONS & CARBON FOOTPRINT

Greenhouse gas emissions that were included in the carbon footprint calculation are the CO₂ emissions included in scope 1 & 2 of the GHG protocol:

- Scope 1: Direct GHG emissions that occur from sources that are owned and/or controlled by the airport.
- Scope 2: Indirect GHG emissions from the generation of purchased electricity, steam, heat or cooling consumed by the airport.

SOURCE FLOWS	TOTAL CO ₂ EMISSIONS (t) 2019
Direct emissions form heating fuel (scope 1)	0.0
Direct emissions from fuel used for fleet vehicles (scope 1)	62.4
Direct emissions from fuel used for firefighting vehicles (scope 1)	11.4
Direct emissions from fuel used for generators (scope 1)	4.3
Indirect emissions from electricity consumption (scope 2)	1,111.3
Total (t)	1,189.5
Kilos CO ₂ / passenger	0.78

Notes:

Fraport Greece B committed to the monitoring, management and reduction of its airports carbon footprint. In order for this target to be achieved:

- Direct and indirect carbon emissions from all the emission sources in the airports' boundaries are calculated and reported, based on the GHG Protocol (scope 1 & 2)
- The airport was certified during the reference year according to ISO 14064 regarding greenhouse gas emission by an independent certification body



11. HUMAN CONSUMPTION WATER MONITORING PROGRAM

Human consumption water quality	
Water supply (public water network or airport's boreholes)	Private borehole
Is sampling of the airport's water network performed? [YES/NO]	YES
(if YES) Sampling frequency:	Quarterly
Summary of results: The results of the chemical analyses show that the water supplied from the private drilling is <u>not potable</u> due to the existence of high concentrations of Sodium and Chlorine (brackish water). The results of the microbiological and chemical analyses show that the rest of parameters analysed as regards the airport's water	

not potable due to the existence of high concentrations of Sodium and Chlorine (brackish water). The results of the microbiological and chemical analyses show that the rest of parameters analysed as regards the airport's water network are <u>within the legislative limits</u> defined by the Ministerial Decision $\Gamma1$ (δ)/ $\Gamma\Pi$ or κ . 67322/ GG 3282 B/19-9-2017 regarding the quality of human consumption water.

12. RAINWATER

RAINWATER (collection, treatment disposal and recipient)		[YES/NO]	
Area Collection/treatment/disposal			
Apron and manoeuvring area	oeuvring area Collected in drainage ditches leading to the sea		YES
Other runoffs (runway etc.) Collected in drainage ditches leading to the sea			YES
Treatment of rainwater by oil-separator		NO*	
Rainwater quality			
Is sampling of the airport's rainwater performed? [YES/NO]		YES	
(if YES) Sampling frequency::		early	
Parameters analyzed: pH, conductivity,TSS, DO, NO ₃ , NO ₂ , Oil & grease, BOD, COD, Total Petroleum Hydrocarbons (TPH), PAHs, BTEX, Heavy metals,PCBs, Detergents			
Summary of results: Surface rainwater quality is monitored according to the airport's monitoring program.			

Due to the absence of designated recipients and relevant national quality limits for surface rainwater, the Environmental Health & Safety Guidelines of the International Finance Corporation (IFC) are adopted. According to FG's analyses results and based on the abovementioned specifications, the airport's rainwater environmental condition is adequate and no further treatment measure is necessary

*Oil separators installation is planned by the end of Imminent Works



13. GROUNDWATER MONITORING PROGRAM

Is sampling of the airport's groundwater performed? [YES/NO]	YES	
(if YES) Sampling frequency::	Yearly	
Parameters analyzed: pH, conductivity,TSS, DO, NO ₃ , NO ₂ , Oil & grease, BOD, COD, Total Petroleum Hydrocarbons (TPH), PAHs, BTEX, Heavy metals,PCBs, Detergents		
Summary of results: Groundwater quality is monitored according to the airport's monitoring program. The results of the analyses from the airport's borehole indicate that no pollution is present. Due to the high depth of the aquifer it was not possible to take water samples from the fuel handler's monitoring boreholes. According to the fuel handler's environmental monitoring reports and based on the limits set in various European countries in the absence of legislative EU limits and relevant national specifications/limits, the environmental condition of soil-gas is adequate and no remediation measures are necessary. It is noted that the remediation process at EKO installation has been successfully completed during the reference year.		

14. SEWAGE TREATMENT & DISPOSAL

Sewage		
Sewage network to the municipal waste water treatment plant (WWTP) YES		
Autonomous airport's waste water treatment plant (WWTP) NO		
Short description:		
Blue water		
Collection and disposal: Collection in septic tank and disposal to the municipal sewage network.		

Waste water treatment plant description (where applicable)		
Description of characteristics and condition of the airport's WWTP including possible problems. Type and frequency of the effluent quality measurements		
Degree of treatment of airport's WWTP	N/A	
Treatment method	N/A	
Disposal of treated wastewater	N/A	
Sludge disposal	N/A	
Sampling frequency of WWTP effluent	N/A	
Parameters analysed	N/A	
Summary of quality of WWTP effluent	N/A	